




# Ressorts de montres

En sachet de 2 ou 3 pièces.






## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
0,70	7,0	0,085	220	0270H21*
0,85	7,5	0,085	240	0285H24*
0,85	7,5	0,085	260	0285H26*
0,90	5,0	0,060	170	0290C17*
0,90	5,5	0,065	180	0290D18*
0,90	6,0	0,065	210	0290D21*
0,90	7,0	0,075	240	0290F24*
0,90	7,5	0,080	250	0290G25*
0,90	7,5	0,085	240	0290H24*
0,90	7,5	0,085	260	0290H26-AT
0,90	8,0	0,095	250	0290K25*
0,90	8,5	0,100	280	0290L28*
0,90	9,0	0,100	320	0290L32GL
0,90	9,0	0,105	290	0290M29*
0,90	9,5	0,110	310	0290N31*
0,95	5,5	0,065	180	0295D18*
0,95	6,0	0,065	210	0295D21*
0,95	6,5	0,070	230	0295E23*
0,95	7,0	0,075	240	0295F24*
0,95	7,0	0,075	240	0295F24-GL
0,95	7,0	0,080	250	0295G25*
0,95	7,5	0,085	260	0295H26*
0,95	8,5	0,100	270	0295L27*
0,95	9,0	0,100	320	0295L32*
0,95	9,0	0,110	310	0295N31*
0,95	10,0	0,115	320	0295O32*
0,95	10,5	0,120	340	0295P34*
0,95	10,5	0,130	330	0295S33*
0,95	11,5	0,140	360	0295U36*
0,95	15,0	0,190	420	0295GG42*
0,95	15,0	0,190	420	0295GG42-BA
1,00	6,0	0,070	200	02100E20*
1,00	6,5	0,060	220	02100C22*
1,00	6,5	0,075	210	02100F21*

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,00	7,0	0,080	220	02100G22*
1,00	7,5	0,080	240	02100G24*
1,00	7,5	0,085	230	02100H23*
1,00	7,5	0,085	240	02100H24*
1,00	7,5	0,085	240	02100H24-AT
1,00	7,5	0,085	260	02100H26*
1,00	7,5	0,095	210	02100K21*
1,00	8,0	0,085	280	02100H28*
1,00	8,0	0,090	260	02100J26*
1,00	8,0	0,105	240	02100M24*
1,00	8,5	0,095	280	02100K28*
1,00	9,0	0,105	280	02100M28*
1,00	10,0	0,115	320	02100O32*
1,00	10,0	0,115	320	02100O32-GL
1,00	10,0	0,110	360	02100N36*
1,00	10,0	0,110	360	02100N36-TR
1,00	10,5	0,115	360	02100O36*
1,00	10,5	0,115	360	02100O36-GL
1,00	11,0	0,130	350	02100S35*
1,00	11,5	0,140	360	02100U36*
1,00	12,0	0,150	360	02100W36*
1,00	12,5	0,150	400	02100W40*
1,00	13,0	0,160	400	02100AA40*
1,00	13,5	0,160	420	02100AA42*
1,00	14,5	0,170	450	02100CC45*
1,00	14,5	0,190	420	02100GG42*
1,05	6,0	0,065	210	02105D21*
1,05	6,0	0,075	190	02105F19*
1,05	6,5	0,080	210	02105G21*
1,05	7,0	0,075	250	02105F25*
1,05	7,0	0,085	220	02105H22*
1,05	7,5	0,085	240	02105H24*
1,05	7,5	0,080	240	02105G24*
1,05	7,5	0,085	260	02105H26-BA

# Ressorts de montres

En sachet de 2 ou 3 pièces.




## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,05	7,5	0,085	260	02105H26-BA
1,05	8,0	0,090	240	02105J24*
1,05	8,0	0,105	230	02105M23*
1,05	8,5	0,095	280	02105K28*
1,05	8,5	0,100	280	02105L28*
1,05	8,5	0,110	260	02105N26*
1,05	9,0	0,100	300	02105L30*
1,05	9,5	0,095	360	02105K36*
1,05	9,5	0,095	360	02105K36-BA
1,05	9,5	0,110	310	02105N31*
1,05	10,0	0,100	360	02105L36-BA
1,05	10,0	0,105	360	02105M36-GL
1,05	10,0	0,115	340	02105O34*
1,05	10,5	0,120	350	02105P35*
1,05	11,0	0,130	400	02105S40*
1,05	11,5	0,140	360	02105U36*
1,05	12,0	0,150	380	02105W38*
1,05	12,5	0,150	400	02105W40*
1,05	14,0	0,170	440	02105CC44*
1,10	6,0	0,070	200	02110E20*
1,10	6,0	0,070	200	02110E20-GL
1,10	6,5	0,075	210	02110F21*
1,10	7,0	0,070	240	02110E24-GL
1,10	7,0	0,080	230	02110G23*
1,10	7,5	0,085	230	02110H23*
1,10	7,5	0,085	240	02110H24*
1,10	7,5	0,085	240	02110H24-AT
1,10	7,5	0,085	240	02110H24-BA
1,10	7,5	0,095	220	02110K22*
1,10	7,5	0,100	220	02110L22-BA
1,10	8,0	0,075	270	02110F27*
1,10	8,0	0,090	260	02110J26*
1,10	8,0	0,090	260	02110J26-GL
1,10	8,0	0,090	320	02110J32*

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,10	8,0	0,105	230	02110M23*
1,10	8,5	0,085	300	02110H30-AT
1,10	8,5	0,085	300	02110H30*
1,10	8,5	0,095	280	02110K28*
1,10	8,5	0,095	280	02110K28-GL
1,10	9,0	0,085	350	02110H35*
1,10	9,0	0,095	320	02110K32*
1,10	9,0	0,100	300	02110L30*
1,10	9,0	0,100	300	02110L30-GL
1,10	9,0	0,105	300	02110M30*
1,10	9,0	0,120	260	02110P26*
1,10	9,0	0,130	250	02110S25-BT
1,10	9,5	0,105	320	02110M32*
1,10	10,0	0,110	330	02110N33*
1,10	10,0	0,110	330	02110N33-BA
1,10	10,0	0,110	330	02110N33-GL
1,10	10,0	0,120	320	02110P32*
1,10	10,5	0,110	330	02110L38*
1,10	10,5	0,110	380	02110N38*
1,10	11,0	0,105	420	02110M42*
1,10	11,0	0,130	350	02110S35*
1,10	11,5	0,140	350	02110U35*
1,10	12,0	0,140	400	02110U40*
1,10	12,5	0,150	400	02110W40*
1,10	14,0	0,170	430	02110CC43*
1,10	14,5	0,190	410	02110GG41*
1,15	5,0	0,060	150	02115C15-TR
1,15	5,5	0,060	180	02115C18*
1,15	6,0	0,070	190	02115E19*
1,15	6,0	0,065	230	02115D23-AT
1,15	6,5	0,070	220	02115E22-AT
1,15	6,5	0,070	230	02115E23*
1,15	6,5	0,070	230	02115E23-GL
1,15	7,0	0,080	220	02115G22*


# Ressorts de montres

En sachet de 2 ou 3 pièces.




\* = bride normale

GL = bride glissante pour calibre automatique



TR = bride à trou

BT = bride à ailettes



AT = bride à ailettes et trou

BA = bride à ailettes spéciale




## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,15	7,0	0,085	230	<b>02115H23*</b>
1,15	7,5	0,055	290	<b>02115B29*</b>
1,15	7,5	0,070	290	<b>02115E29*</b>
1,15	7,5	0,075	280	<b>02115F28-AT</b>
1,15	7,5	0,080	250	<b>02115G25*</b>
1,15	7,5	0,080	250	<b>02115G25-AT</b>
1,15	7,5	0,085	260	<b>02115H26-AT</b>
1,15	7,5	0,090	230	<b>02115J23*</b>
1,15	7,5	0,090	230	<b>02115J23-GL</b>
1,15	7,5	0,090	230	<b>02115J23-BA</b>
1,15	7,5	0,095	230	<b>02115K23*</b>
1,15	8,0	0,090	240	<b>02115J24*</b>
1,15	8,0	0,090	270	<b>02115J27*</b>
1,15	8,0	0,090	270	<b>02115J27-BT</b>
1,15	8,0	0,095	270	<b>02115K27-BA</b>
1,15	8,5	0,105	260	<b>02115L26*</b>
1,15	8,5	0,110	250	<b>02115N25*</b>
1,15	9,0	0,095	310	<b>02115K31*</b>
1,15	9,0	0,105	280	<b>02115M28-GL</b>
1,15	9,0	0,130	280	<b>02115S28*</b>
1,15	9,5	0,090	370	<b>02115J37*</b>
1,15	9,5	0,105	320	<b>02115M32*</b>
1,15	9,5	0,105	320	<b>02115M32-GL</b>
1,15	10,0	0,095	380	<b>02115K38*</b>
1,15	10,0	0,110	340	<b>02115N34*</b>
1,15	10,0	0,110	340	<b>02115N34-GL</b>
1,15	10,0	0,115	320	<b>02115O32-GL</b>
1,15	10,5	0,100	400	<b>02115L40*</b>
1,15	10,5	0,115	360	<b>02115O36*</b>
1,15	11,0	0,110	400	<b>02115N40-BA</b>
1,15	11,0	0,130	350	<b>02115S35*</b>
1,15	11,5	0,140	360	<b>02115U36*</b>
1,15	12,0	0,150	360	<b>02115W36*</b>
1,15	12,5	0,150	400	<b>02115W40*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,15	13,0	0,130	500	<b>02115S50*</b>
1,15	13,0	0,160	400	<b>02115AA40*</b>
1,15	13,0	0,140	440	<b>02115U44*</b>
1,15	14,0	0,130	560	<b>02115S56*</b>
1,15	15,5	0,160	560	<b>02115AA56*</b>
1,20	5,0	0,060	140	<b>02120C14*</b>
1,20	5,5	0,055	190	<b>02120B19*</b>
1,20	5,5	0,065	180	<b>02120D18*</b>
1,20	5,5	0,060	180	<b>02120C18-BA</b>
1,20	6,0	0,060	220	<b>02120C22-GL</b>
1,20	6,0	0,070	190	<b>02120E19*</b>
1,20	6,0	0,075	200	<b>02120F20-BA</b>
1,20	6,5	0,070	220	<b>02120E22*</b>
1,20	6,5	0,085	200	<b>02120H20*</b>
1,20	7,0	0,065	270	<b>02120D27*</b>
1,20	7,0	0,070	270	<b>02120E27*</b>
1,20	7,0	0,075	240	<b>02120F24*</b>
1,20	7,0	0,070	270	<b>02120E27-BA</b>
1,20	7,0	0,080	210	<b>02120G20*</b>
1,20	7,0	0,085	220	<b>02120H22-GL</b>
1,20	7,5	0,075	270	<b>02120F27*</b>
1,20	7,5	0,075	270	<b>02120F27-BA</b>
1,20	7,5	0,080	260	<b>02120G26-BA</b>
1,20	7,5	0,085	230	<b>02120H23*</b>
1,20	7,5	0,085	230	<b>02120H23-GL</b>
1,20	7,5	0,095	240	<b>02120K24*</b>
1,20	8,0	0,085	270	<b>02120H27*</b>
1,20	8,0	0,085	310	<b>02120H31-GL</b>
1,20	8,0	0,090	280	<b>02120J28-GL</b>
1,20	8,0	0,100	260	<b>02120L26*</b>
1,20	8,0	0,105	230	<b>02120M23*</b>
1,20	8,5	0,080	360	<b>02120G36*</b>
1,20	8,5	0,085	320	<b>02120H32*</b>
1,20	8,5	0,080	360	<b>02120G36-GL</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.






## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,20	8,5	0,095	280	02120K28*
1,20	8,5	0,110	250	02120N25-BA
1,20	9,0	0,075	420	02120F42*
1,20	9,0	0,090	360	02120J36*
1,20	9,0	0,090	360	02120J36-GL
1,20	9,0	0,095	320	02120K32*
1,20	9,0	0,095	320	02120K32-GL
1,20	9,0	0,105	290	02120M29*
1,20	9,0	0,105	290	02120M29-GL
1,20	9,0	0,110	260	02120N26*
1,20	9,0	0,130	270	02120S27*
1,20	9,5	0,080	440	02120G44*
1,20	9,5	0,085	360	02120H36*
1,20	9,5	0,090	410	02120J41*
1,20	9,5	0,100	360	02120L36-GL
1,20	9,5	0,105	330	02120M33*
1,20	9,5	0,110	300	02120N30-BA
1,20	9,5	0,110	300	02120N30-GL
1,20	9,5	0,120	260	02120P26*
1,20	10,0	0,115	320	02120O32*
1,20	10,0	0,115	320	02120O32-GL
1,20	10,5	0,120	330	02120P33-GL
1,20	10,5	0,120	330	02120P33*
1,20	11,0	0,115	380	02120O38*
1,20	11,0	0,130	350	02120S35*
1,20	11,5	0,100	480	02120L48*
1,20	11,5	0,110	460	02120N46*
1,20	11,5	0,150	360	02120U36*
1,20	12,0	0,150	360	02120W36*
1,20	12,5	0,150	400	02120W40*
1,20	13,0	0,160	400	02120AA40*
1,20	13,5	0,150	440	02120W44*
1,20	14,0	0,170	420	02120CC42*
1,20	14,0	0,180	420	02120EE42*

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,20	14,5	0,170	460	02120CC46*
1,20	14,5	0,180	440	02120EE44*
1,20	15,0	0,150	540	02120W54*
1,20	15,0	0,180	460	02120EE46*
1,20	16,0	0,190	480	02120GG48*
1,20	16,0	0,190	480	02120GG48-BA
1,25	6,0	0,065	210	02125D21*
1,25	6,0	0,070	190	02125E19*
1,25	6,5	0,065	240	02125D24*
1,25	6,5	0,075	210	02125F21*
1,25	7,0	0,080	220	02125G22*
1,25	7,5	0,065	290	02125D29*
1,25	7,5	0,075	260	02125F26*
1,25	7,5	0,070	290	02125E29*
1,25	7,5	0,070	290	02125E29-GL
1,25	7,5	0,085	240	02125H24*
1,25	8,0	0,085	290	02125H27*
1,25	8,0	0,105	240	02125M24*
1,25	8,5	0,085	340	02125H34*
1,25	8,5	0,085	340	02125H34-GL
1,25	8,5	0,095	290	02125K29*
1,25	8,5	0,100	250	02125L25*
1,25	9,0	0,105	290	02125M29*
1,25	9,0	0,120	250	02125P25*
1,25	9,5	0,095	370	02125K37*
1,25	9,5	0,095	370	02125K37-GL
1,25	9,5	0,100	360	02125L36*
1,25	9,5	0,105	320	02125M32-GL
1,25	9,5	0,105	360	02125M36-BA
1,25	9,5	0,110	310	02125N31*
1,25	9,5	0,110	310	02125N31-GL
1,25	9,5	0,120	280	02125P28*
1,25	10,0	0,085	460	02125H46*
1,25	10,0	0,105	360	02125M36*

# Ressorts de montres

En sachet de 2 ou 3 pièces.






## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,25	10,0	0,115	320	<b>02125O32*</b>
1,25	10,5	0,105	490	<b>02125N49-GL</b>
1,25	10,5	0,110	390	<b>02125N39*</b>
1,25	10,5	0,110	390	<b>02125N39-GL</b>
1,25	10,5	0,120	330	<b>02125P33*</b>
1,25	10,5	0,120	330	<b>02125P33-GL</b>
1,25	10,5	0,120	370	<b>02125P37*</b>
1,25	11,0	0,100	460	<b>02125L46*</b>
1,25	11,0	0,105	500	<b>02125M50*</b>
1,25	11,0	0,130	350	<b>02125S35*</b>
1,25	11,0	0,130	400	<b>02125S40*</b>
1,25	11,0	0,130	400	<b>02125S40-BA</b>
1,25	11,5	0,110	460	<b>02125N46*</b>
1,25	11,5	0,140	360	<b>02125U36*</b>
1,25	12,0	0,100	520	<b>02125L52*</b>
1,25	13,0	0,130	480	<b>02125S48*</b>
1,25	13,0	0,160	400	<b>02125AA40*</b>
1,25	13,5	0,140	500	<b>02125U50*</b>
1,25	13,5	0,160	420	<b>02125AA42*</b>
1,25	14,0	0,170	430	<b>02125CC43*</b>
1,25	15,0	0,180	440	<b>02125EE44*</b>
1,25	15,5	0,150	600	<b>02125W60*</b>
1,25	15,5	0,180	480	<b>02125EE48*</b>
1,30	5,0	0,055	170	<b>02130B17*</b>
1,30	5,0	0,060	160	<b>02130C16*</b>
1,30	5,5	0,060	190	<b>02130C19*</b>
1,30	6,0	0,060	220	<b>02130C22*</b>
1,30	6,0	0,060	220	<b>02130C22-GL</b>
1,30	6,0	0,070	190	<b>02130E19*</b>
1,30	6,5	0,065	220	<b>02130D22*</b>
1,30	6,5	0,065	220	<b>02130D22-GL</b>
1,30	6,5	0,075	210	<b>02130F21*</b>
1,30	6,5	0,075	210	<b>02130F21-GL</b>
1,30	7,0	0,065	280	<b>02130D28*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,30	7,0	0,065	280	<b>02130D28-BA</b>
1,30	7,0	0,065	280	<b>02130D28-GL</b>
1,30	7,0	0,080	230	<b>02130G23*</b>
1,30	7,0	0,090	200	<b>02130J20-BA</b>
1,30	7,5	0,085	240	<b>02130H24*</b>
1,30	7,5	0,085	240	<b>02130H24-GL</b>
1,30	7,5	0,095	230	<b>02130K23*</b>
1,30	8,0	0,080	310	<b>02130G31*</b>
1,30	8,0	0,080	310	<b>02130G31-GL</b>
1,30	8,0	0,085	270	<b>02130H27*</b>
1,30	8,0	0,085	270	<b>02130H27-AT</b>
1,30	8,0	0,085	270	<b>02130H27-GL</b>
1,30	8,0	0,105	230	<b>02130M23*</b>
1,30	8,5	0,075	360	<b>02130F36*</b>
1,30	8,5	0,090	290	<b>02130J29*</b>
1,30	8,5	0,090	290	<b>02130J29-GL</b>
1,30	8,5	0,100	270	<b>02130L27*</b>
1,30	9,0	0,095	310	<b>02130K31*</b>
1,30	9,0	0,095	310	<b>02130K31-GL</b>
1,30	9,0	0,100	300	<b>02130L30-BT</b>
1,30	9,0	0,105	270	<b>02130M27*</b>
1,30	9,0	0,105	270	<b>02130M27-GL</b>
1,30	9,5	0,095	360	<b>02130K36*</b>
1,30	9,5	0,100	360	<b>02130L36*</b>
1,30	9,5	0,100	360	<b>02130L36-TR</b>
1,30	9,5	0,100	360	<b>02130L36-GL</b>
-	-	-	-	-
1,30	9,5	0,105	320	<b>02130M32*</b>
1,30	9,5	0,110	310	<b>02130N31*</b>
1,30	10,0	0,110	340	<b>02130N34*</b>
1,30	10,0	0,110	340	<b>02130N34-GL</b>
1,30	10,0	0,115	320	<b>02130O32*</b>
1,30	10,0	0,115	320	<b>02130O32-GL</b>
1,30	10,0	0,130	290	<b>02130S29*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,30	10,5	0,090	480	<b>02130J48*</b>
1,30	10,5	0,120	330	<b>02130P33*</b>
1,30	11,0	0,125	360	<b>02130R36*</b>
1,30	11,5	0,110	460	<b>02130N46*</b>
1,30	11,5	0,140	360	<b>02130U36*</b>
1,30	12,0	0,085	540	<b>02130H54*</b>
1,30	12,0	0,090	560	<b>02130J56*</b>
1,30	12,0	0,130	420	<b>02130S42*</b>
1,30	12,0	0,150	300	<b>02130W30*</b>
1,30	12,5	0,085	580	<b>02130H58*</b>
1,30	12,5	0,095	580	<b>02130K58*</b>
1,30	12,5	0,150	400	<b>02130W40*</b>
1,30	13,0	0,160	400	<b>02130AA40*</b>
1,30	13,5	0,150	530	<b>02130W53*</b>
1,30	13,5	0,160	420	<b>02130AA42*</b>
1,30	14,0	0,160	420	<b>02130CC42*</b>
1,30	14,0	0,180	420	<b>02130EE42*</b>
1,30	14,5	0,170	440	<b>02130CC44*</b>
1,30	14,5	0,200	430	<b>02130JJ43-AT</b>
1,30	15,0	0,170	480	<b>02130CC48*</b>
1,30	15,0	0,180	460	<b>02130EE46*</b>
1,30	16,0	0,200	480	<b>02130JJ48*</b>
1,30	17,0	0,210	500	<b>02130LL50*</b>
1,35	5,0	0,060	160	<b>02135C16*</b>
1,35	5,5	0,065	210	<b>02135D21*</b>
1,35	5,5	0,065	210	<b>02135D21-BA</b>
1,35	6,0	0,070	190	<b>02135E19*</b>
1,35	6,5	0,075	210	<b>02135F21*</b>
1,35	6,5	0,075	210	<b>02135F21-GL</b>
1,35	7,0	0,070	320	<b>02135E32*</b>
1,35	7,0	0,075	240	<b>02135F24*</b>
1,35	7,0	0,075	240	<b>02135F24-GL</b>
1,35	7,5	0,080	240	<b>02135G24*</b>
1,35	7,5	0,080	240	<b>02135G24-GL</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,35	7,5	0,085	240	<b>02135H24*</b>
1,35	7,5	0,085	240	<b>02135H24-GL</b>
1,35	8,0	0,085	300	<b>02135H30*</b>
1,35	8,0	0,090	260	<b>02135J26*</b>
1,35	8,5	0,085	340	<b>02135H34*</b>
1,35	8,5	0,100	270	<b>02135L27*</b>
1,35	9,0	0,095	340	<b>02135K34-GL</b>
1,35	9,0	0,095	340	<b>02135K34*</b>
1,35	9,0	0,100	290	<b>02135L29*</b>
1,35	9,0	0,100	290	<b>02135L29-GL</b>
1,35	9,0	0,120	260	<b>02135P26*</b>
1,35	9,5	0,085	380	<b>02135H38*</b>
1,35	9,5	0,095	360	<b>02135K36-AT</b>
1,35	9,5	0,095	370	<b>02135K37*</b>
1,35	9,5	0,105	320	<b>02135M32*</b>
1,35	9,5	0,115	300	<b>02135O30*</b>
1,35	9,5	0,130	300	<b>02135S30*</b>
1,35	10,0	0,105	340	<b>02135M34GL</b>
1,35	10,0	0,115	320	<b>02135O32*</b>
1,35	10,0	0,115	320	<b>02135O33*</b>
1,35	10,5	0,105	380	<b>02135M38*</b>
1,35	10,5	0,110	370	<b>02135N37*</b>
1,35	10,5	0,115	400	<b>02135O40*</b>
1,35	10,5	0,120	340	<b>02135P34*</b>
1,35	11,0	0,105	420	<b>02135M42*</b>
1,35	11,0	0,120	360	<b>02135P36*</b>
1,35	11,0	0,130	360	<b>02135S36*</b>
1,35	11,5	0,140	360	<b>02135U36*</b>
1,35	12,0	0,140	400	<b>02135U40*</b>
1,35	13,5	0,160	420	<b>02135AA42*</b>
1,35	14,0	0,150	500	<b>02135W50*</b>
1,35	14,5	0,170	460	<b>02135CC46*</b>
1,35	15,0	0,140	540	<b>02135U54*</b>
1,35	15,0	0,180	460	<b>02135EE46*</b>

## Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



BT = bride à ailettes



AT = bride à ailettes et trou



BA = bride à ailettes spéciale

### No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,35	16,0	0,210	440	<b>02135LL44*</b>
1,35	16,0	0,220	440	<b>02135NN44*</b>
1,35	16,5	0,210	480	<b>02135LL48*</b>
1,40	5,5	0,060	180	<b>02140C18*</b>
1,40	5,5	0,065	190	<b>02140D19*</b>
1,40	5,5	0,070	200	<b>02140E20*</b>
1,40	6,0	0,060	210	<b>02140C21*</b>
1,40	6,5	0,065	230	<b>02140D23*</b>
1,40	6,5	0,075	210	<b>02140F21*</b>
1,40	7,0	0,065	280	<b>02140D28*</b>
1,40	7,0	0,080	230	<b>02140G23*</b>
1,40	7,0	0,080	230	<b>02140G23-GL</b>
1,40	7,0	0,085	210	<b>02140H21*</b>
1,40	7,5	0,075	270	<b>02140F27*</b>
1,40	7,5	0,080	300	<b>02140G30*</b>
1,40	7,5	0,085	240	<b>02140H24*</b>
1,40	7,5	0,085	240	<b>02140H24-GL</b>
1,40	8,0	0,085	270	<b>02140H27*</b>
1,40	8,0	0,085	270	<b>02140H27-GL</b>
1,40	8,5	0,085	340	<b>02140H34*</b>
1,40	8,5	0,095	290	<b>02140K29*</b>
1,40	8,5	0,100	270	<b>02140L27*</b>
1,40	8,5	0,100	270	<b>02140L27-GL</b>
1,40	9,0	0,085	380	<b>02140H38*</b>
1,40	9,0	0,090	350	<b>02140J35*</b>
1,40	9,0	0,090	350	<b>02140J35-AT</b>
1,40	9,0	0,095	310	<b>02140K31*</b>
1,40	9,0	0,095	310	<b>02140K31-GL</b>
1,40	9,0	0,100	320	<b>02140L32*</b>
1,40	9,0	0,120	250	<b>02140P25*</b>
1,40	9,0	0,105	290	<b>02140M29-GL</b>
1,40	9,5	0,105	320	<b>02140M32*</b>
1,40	9,5	0,130	270	<b>02140S27*</b>
1,40	9,5	0,130	270	<b>02140S27-BT</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,40	10,0	0,095	370	<b>02140K37*</b>
1,40	10,0	0,095	370	<b>02140K37-GL</b>
1,40	10,0	0,105	340	<b>02140M34-BA</b>
1,40	10,0	0,110	360	<b>02140N36*</b>
1,40	10,0	0,110	360	<b>02140N36-GL</b>
1,40	10,0	0,115	320	<b>02140O32*</b>
1,40	10,0	0,120	310	<b>02140P31*</b>
1,40	10,5	0,085	520	<b>02140H52*</b>
1,40	10,5	0,110	380	<b>02140N38*</b>
1,40	10,5	0,110	400	<b>02140N40*</b>
1,40	10,5	0,120	330	<b>02140P33*</b>
1,40	10,5	0,120	330	<b>02140P33-GL</b>
1,40	10,5	0,120	360	<b>02140P36-BA</b>
1,40	11,0	0,120	400	<b>02140P40*</b>
1,40	11,0	0,125	360	<b>02140R36*</b>
1,40	11,0	0,130	360	<b>02140S36*</b>
1,40	11,5	0,105	460	<b>02140M46*</b>
1,40	11,5	0,140	360	<b>02140U36*</b>
1,40	12,0	0,140	380	<b>02140U38*</b>
1,40	12,5	0,160	380	<b>02140AA38*</b>
1,40	13,0	0,160	400	<b>02140AA40*</b>
1,40	13,5	0,160	420	<b>02140AA42*</b>
1,40	14,0	0,140	500	<b>02140U50*</b>
1,40	14,0	0,170	420	<b>02140CC42</b>
1,40	14,0	0,200	380	<b>02140JJ38*</b>
1,40	14,5	0,170	460	<b>02140CC46*</b>
1,40	14,5	0,180	440	<b>02140EE44*</b>
1,40	15,0	0,160	520	<b>02140AA52*</b>
1,40	15,0	0,180	460	<b>02140EE46*</b>
1,40	15,5	0,180	500	<b>02140EE50*</b>
1,40	16,0	0,200	470	<b>02140JJ47*</b>
1,40	16,5	0,210	480	<b>02140LL48*</b>
1,40	17,0	0,180	600	<b>02140EE60*</b>
1,45	5,5	0,065	190	<b>02145D19*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



AT = bride à ailettes et trou



BT = bride à ailettes



BA = bride à ailettes spéciale

## No ombrés, sachet de 1 pièce




hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,45	6,0	0,060	230	02145C23*
1,45	6,0	0,070	200	02145E20*
1,45	6,5	0,075	210	02145F21*
1,45	7,0	0,080	230	02145G23*
1,45	7,5	0,080	250	02145G25*
1,45	7,5	0,080	250	02145G25-GL
1,45	7,5	0,085	250	02145H25*
1,45	7,5	0,090	240	02145J24*
1,45	8,0	0,095	250	02145K25*
1,45	8,5	0,065	400	02145D40*
1,45	8,5	0,075	320	02145F32*
1,45	8,5	0,100	270	02145L27*
1,45	8,5	0,100	270	02145L27-GL
1,45	9,0	0,075	380	02145F38*
1,45	9,0	0,075	380	02145F38*
1,45	9,0	0,100	300	02145L30-GL
1,45	9,0	0,105	280	02145M28*
1,45	9,0	0,105	280	02145M28-GL
1,45	9,5	0,080	400	02145G40*
1,45	9,5	0,095	360	02145K36*
1,45	9,5	0,105	340	02145M34*
1,45	10,0	0,120	330	02145P31*
1,45	10,5	0,110	380	02145N38*
-	-	-	-	-
1,45	10,5	0,120	330	02145P33*
1,45	10,5	0,120	330	02145P33-GL
1,45	11,0	0,120	380	02145P38*
1,45	11,0	0,120	380	02145P38-BT
1,45	11,0	0,125	360	02145R36*
1,45	11,0	0,125	360	02145R36-GL
1,45	11,0	0,130	400	02145S40-GL
1,45	11,5	0,105	470	02145M47*
1,45	11,5	0,130	360	02145S36*
1,45	12,0	0,105	500	02145M50*

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,45	12,0	0,150	360	02145W36*
1,45	12,5	0,100	600	02145L60*
1,45	12,5	0,150	390	02145W39*
1,45	13,0	0,160	400	02145AA40*
1,45	13,5	0,140	480	02145U48*
1,45	13,5	0,150	450	02145W45*
1,45	14,0	0,180	400	02145EE40*
1,45	14,5	0,170	460	02145CC46*
1,45	15,0	0,180	470	02145EE47*
1,45	15,5	0,190	450	02145GG46*
1,45	16,0	0,200	470	02145JJ47*
1,45	16,5	0,210	480	02145LL48*
1,45	18,5	0,180	760	02145EE76*
1,50	5,0	0,055	170	02150B17*
1,50	5,0	0,055	170	02150B17-AT
1,50	5,5	0,060	200	02150C20*
1,50	5,5	0,060	200	02150C20-GL
1,50	5,5	0,065	190	02150D19*
1,50	6,0	0,065	210	02150D21*
1,50	6,0	0,065	210	02150D21-GL
1,50	6,5	0,070	230	02150E23*
1,50	6,5	0,070	240	02150E24-AT
1,50	7,0	0,080	220	02150G22*
1,50	7,0	0,090	210	02150J21*
1,50	7,5	0,075	270	02150F27-GL
1,50	7,5	0,080	260	02150G26*
1,50	7,5	0,075	270	02150F27*
1,50	8,0	0,090	270	02150J27*
1,50	8,5	0,090	290	02150J29*
1,50	8,5	0,090	290	02150J29-GL
1,50	8,5	0,090	330	02150J33*
1,50	8,5	0,090	330	02150J33-GL
1,50	8,5	0,095	280	02150K28*
1,50	8,5	0,100	280	02150L28*



# Ressorts de montres

En sachet de 2 ou 3 pièces.



## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,50	9,0	0,085	370	<b>02150H37*</b>
1,50	9,0	0,090	350	<b>02150J35*</b>
1,50	9,0	0,095	310	<b>02150K31*</b>
1,50	9,0	0,095	310	<b>02150K31-GL</b>
1,50	9,0	0,100	320	<b>02150L32-GL</b>
1,50	9,0	0,105	280	<b>02150M28*</b>
1,50	9,0	0,105	280	<b>02150M28-GL</b>
1,50	9,0	0,130	260	<b>02150S26*</b>
1,50	9,5	0,095	350	<b>02150K35*</b>
1,50	9,5	0,110	310	<b>02150N31*</b>
1,50	9,5	0,100	360	<b>02150L36-GL</b>
1,50	9,5	0,120	270	<b>02150P27*</b>
1,50	10,0	0,100	440	<b>02150EE44-AT</b>
1,50	10,0	0,110	340	<b>02150N34*</b>
1,50	10,0	0,110	340	<b>02150N34-BA</b>
1,50	10,5	0,110	380	<b>02150N38*</b>
1,50	10,5	0,110	380	<b>02150N38-AT</b>
1,50	10,5	0,110	380	<b>02150N38-BA</b>
1,50	10,5	0,110	380	<b>02150N38-GL</b>
1,50	10,5	0,120	340	<b>02150P34-GL</b>
1,50	10,5	0,130	320	<b>02150S32*</b>
1,50	11,0	0,130	350	<b>02150S35*</b>
1,50	11,5	0,105	500	<b>02150M50*</b>
1,50	11,5	0,110	440	<b>02150N44*</b>
1,50	11,5	0,130	400	<b>02150S40*</b>
1,50	12,0	0,140	390	<b>02150U39*</b>
1,50	12,5	0,150	400	<b>02150W40*</b>
1,50	13,0	0,160	400	<b>02150AA40*</b>
1,50	13,5	0,150	460	<b>02150W46-BA</b>
1,50	13,5	0,160	420	<b>02150AA42*</b>
1,50	13,5	0,180	400	<b>02150EE40*</b>
1,50	14,0	0,130	580	<b>02150S58*</b>
1,50	14,0	0,150	500	<b>02150W50*</b>
1,50	14,0	0,160	460	<b>02150AA46*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,50	14,5	0,180	440	<b>02150EE44*</b>
1,50	15,0	0,140	600	<b>02150U60*</b>
1,50	15,0	0,150	570	<b>02150W57*</b>
1,50	15,0	0,180	460	<b>02150EE46*</b>
1,50	15,5	0,160	580	<b>02150AA58*</b>
1,50	15,5	0,190	460	<b>02150GG46*</b>
1,50	15,5	0,210	460	<b>02150LL46*</b>
1,50	16,0	0,180	540	<b>02150EE53*</b>
1,50	16,0	0,200	470	<b>02150JJ47*</b>
1,50	16,5	0,210	480	<b>02150LL48*</b>
1,50	17,0	0,200	600	<b>02150JJ60*</b>
1,50	17,0	0,210	500	<b>02150LL50*</b>
1,50	17,5	0,190	640	<b>02150GG64*</b>
1,50	17,5	0,220	520	<b>02150NN52*</b>
1,55	5,5	0,060	200	<b>02155C20*</b>
1,55	5,5	0,065	190	<b>02155D19*</b>
1,55	6,0	0,070	200	<b>02155E20*</b>
1,55	6,5	0,070	220	<b>02155E22*</b>
1,55	7,0	0,070	260	<b>02155E26*</b>
1,55	7,0	0,080	230	<b>02155G23*</b>
1,55	7,5	0,085	260	<b>02155K35*</b>
1,55	7,5	0,085	270	<b>02155H27*</b>
1,55	8,0	0,090	260	<b>02155J26*</b>
1,55	8,0	0,095	250	<b>02155K25*</b>
1,55	8,5	0,085	350	<b>02155H35*</b>
1,55	8,5	0,095	290	<b>02155K29*</b>
1,55	9,0	0,100	280	<b>02155L28*</b>
1,55	9,5	0,105	320	<b>02155M32*</b>
1,55	10,0	0,110	340	<b>02155N34*</b>
1,55	10,5	0,105	380	<b>02155M38-AT</b>
1,55	10,5	0,125	340	<b>02155R34*</b>
1,55	11,0	0,105	430	<b>02155M43-AT</b>
1,55	11,0	0,125	360	<b>02155R36*</b>
1,55	11,5	0,130	380	<b>02155S38*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



AT = bride à ailettes et trou



BT = bride à ailettes



BA = bride à ailettes spéciale




## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,55	12,0	0,150	360	<b>02155W36*</b>
1,55	12,5	0,130	460	<b>02155S46*</b>
1,55	14,0	0,170	430	<b>02155CC43*</b>
1,55	14,0	0,180	420	<b>02155EE42</b>
1,55	14,0	0,180	420	<b>02155EE42-AT</b>
1,55	14,5	0,140	540	<b>02155U54*</b>
1,55	14,5	0,170	450	<b>02155CC45*</b>
1,55	15,0	0,150	540	<b>02155W54*</b>
1,55	15,0	0,170	520	<b>02155CC52*</b>
1,55	15,0	0,180	480	<b>02155EE48*</b>
1,55	15,5	0,190	450	<b>02155GG45*</b>
1,55	15,5	0,180	500	<b>02155EE50*</b>
1,55	16,0	0,200	470	<b>02155JJ47*</b>
1,55	17,0	0,210	500	<b>02155LL50*</b>
1,60	6,5	0,065	250	<b>02160D25*</b>
1,60	6,5	0,075	210	<b>02160F21*</b>
1,60	7,0	0,075	230	<b>02160F23*</b>
1,60	7,0	0,075	230	<b>02160F23-GL</b>
1,60	7,5	0,080	250	<b>02160G25*</b>
1,60	7,5	0,080	250	<b>02160G25-GL</b>
1,60	7,5	0,085	250	<b>02160H25*</b>
1,60	7,5	0,090	220	<b>02160J22*</b>
1,60	7,5	0,100	210	<b>02160L21*</b>
1,60	8,0	0,085	270	<b>02160H27*</b>
1,60	8,5	0,065	420	<b>02160D42*</b>
1,60	8,5	0,080	320	<b>02160G32*</b>
1,60	8,5	0,090	290	<b>02160J29*</b>
1,60	8,5	0,090	290	<b>02160J29-GL</b>
1,60	8,5	0,100	270	<b>02160L27*</b>
1,60	8,5	0,100	270	<b>02160L27-GL</b>
1,60	8,5	0,130	220	<b>02160S22*</b>
1,60	9,0	0,095	320	<b>02160K32*</b>
1,60	9,0	0,095	320	<b>02160K32-GL</b>
1,60	9,0	0,105	280	<b>02160M28*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,60	9,0	0,105	280	<b>02160M28-GL</b>
1,60	9,0	0,120	240	<b>02160P24*</b>
1,60	9,5	0,090	360	<b>02160J36-BA</b>
1,60	9,5	0,100	310	<b>02160L31*</b>
1,60	9,5	0,105	310	<b>02160M31*</b>
1,60	9,5	0,110	320	<b>02160N32*</b>
1,60	10,0	0,090	400	<b>02160J40*</b>
1,60	10,0	0,090	400	<b>02160J40-BT</b>
1,60	10,0	0,105	380	<b>02160M38*</b>
1,60	10,0	0,105	380	<b>02160M38-AT</b>
1,60	10,0	0,120	300	<b>02160P30*</b>
1,60	10,0	0,140	280	<b>02160U28*</b>
1,60	10,5	0,120	330	<b>02160P33*</b>
1,60	11,0	0,120	370	<b>02160P37*</b>
1,60	11,0	0,125	360	<b>02160R36*</b>
1,60	11,0	0,140	330	<b>02160U33*</b>
1,60	11,5	0,105	500	<b>02160M50*</b>
1,60	11,5	0,110	440	<b>02160N44*</b>
1,60	11,5	0,135	380	<b>02160T38*</b>
1,60	11,5	0,150	320	<b>02160W32*</b>
1,60	12,0	0,135	400	<b>02160T40*</b>
1,60	12,5	0,135	420	<b>02160T42*</b>
1,60	13,0	0,160	400	<b>02160AA40*</b>
1,60	13,0	0,170	380	<b>02160CC38*</b>
1,60	13,5	0,140	480	<b>02160U48*</b>
1,60	14,0	0,105	680	<b>02160M68*</b>
1,60	14,0	0,160	450	<b>02160AA45-AT</b>
1,60	14,0	0,170	430	<b>02160CC43*</b>
1,60	14,5	0,170	450	<b>02160CC45*</b>
1,60	15,0	0,150	580	<b>02160W58*</b>
1,60	15,0	0,170	470	<b>02160CC47*</b>
1,60	15,0	0,180	450	<b>02160EE45*</b>
1,60	15,5	0,140	640	<b>02160U64*</b>
1,60	15,5	0,190	470	<b>02160GG47*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,60	15,5	0,210	420	<b>02160LL42*</b>
1,60	16,0	0,150	640	<b>02160W64*</b>
1,60	16,0	0,180	520	<b>02160EE52*</b>
1,60	16,0	0,200	470	<b>02160JJ47*</b>
1,60	16,5	0,180	540	<b>02160EE54*</b>
1,60	16,5	0,210	480	<b>02160LL48*</b>
1,60	17,0	0,210	500	<b>02160LL50*</b>
1,60	17,5	0,210	520	<b>02160LL52*</b>
1,60	18,0	0,200	620	<b>02160JJ62*</b>
1,65	7,0	0,075	230	<b>02165F23*</b>
1,65	7,5	0,080	250	<b>02165G25*</b>
1,65	8,0	0,085	270	<b>02165H27*</b>
1,65	8,0	0,090	270	<b>02165J27*</b>
1,65	8,5	0,090	290	<b>02165J29*</b>
1,65	9,0	0,100	310	<b>02165L31*</b>
1,65	9,5	0,105	310	<b>02165M31*</b>
1,65	10,0	0,105	380	<b>02165M38*</b>
1,65	10,5	0,120	330	<b>02165P33*</b>
1,65	11,0	0,125	360	<b>02165R36*</b>
1,65	11,5	0,135	380	<b>02165T38*</b>
1,65	12,0	0,135	400	<b>02165T40*</b>
1,65	12,5	0,135	420	<b>02165T42*</b>
1,70	6,5	0,065	250	<b>02170D25*</b>
1,70	7,0	0,075	260	<b>02170F26*</b>
1,70	7,5	0,085	250	<b>02170H25*</b>
1,70	7,5	0,085	310	<b>02170H31-GL</b>
1,70	8,0	0,090	250	<b>02170J25*</b>
1,70	8,5	0,080	370	<b>02170G37*</b>
1,70	8,5	0,085	310	<b>02170H31*</b>
1,70	8,5	0,100	270	<b>02170L27*</b>
1,70	9,0	0,095	320	<b>02170K32*</b>
1,70	9,0	0,105	290	<b>02170M29*</b>
1,70	9,5	0,105	330	<b>02170M33*</b>
1,70	9,5	0,105	330	<b>02170M33-GL</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,70	10,0	0,095	370	<b>02170K37*</b>
1,70	10,0	0,095	400	<b>02170K40*</b>
1,70	10,0	0,100	360	<b>02170L36*</b>
1,70	10,0	0,110	350	<b>02170N35*</b>
1,70	10,0	0,120	300	<b>02170P30*</b>
1,70	10,5	0,100	400	<b>02170L40*</b>
1,70	10,5	0,115	360	<b>02170O36*</b>
1,70	10,5	0,120	330	<b>02170P33*</b>
1,70	10,5	0,130	310	<b>02170S31*</b>
1,70	10,5	0,140	320	<b>02170U32-BT</b>
1,70	11,0	0,105	400	<b>02170M40*</b>
1,70	11,0	0,110	400	<b>02170N40*</b>
1,70	11,0	0,135	340	<b>02170T34*</b>
1,70	11,5	0,140	360	<b>02170U36*</b>
1,70	12,0	0,095	580	<b>02170K58*</b>
1,70	12,0	0,120	440	<b>02170P44*</b>
1,70	12,0	0,130	420	<b>02170S42-BA</b>
1,70	12,0	0,130	430	<b>02170CC43*</b>
1,70	12,0	0,140	390	<b>02170U39*</b>
1,70	12,0	0,150	360	<b>02170W36*</b>
1,70	12,5	0,150	410	<b>02170U41*</b>
1,70	13,0	0,160	400	<b>02170AA40*</b>
1,70	13,5	0,160	420	<b>02170AA42*</b>
1,70	13,5	0,170	400	<b>02170CC40*</b>
1,70	14,0	0,160	460	<b>02170AA46*</b>
1,70	14,5	0,130	600	<b>02170S60*</b>
1,70	14,5	0,170	460	<b>02170CC46*</b>
1,70	14,5	0,180	460	<b>02170EE46*</b>
1,70	15,0	0,150	560	<b>02170W56*</b>
1,70	15,0	0,180	470	<b>02170EE47*</b>
1,70	15,0	0,190	450	<b>02170GG45*</b>
1,70	15,0	0,200	430	<b>02170JJ43*</b>
1,70	15,5	0,170	500	<b>02170CC50*</b>
1,70	16,0	0,200	470	<b>02170JJ47*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



BT = bride à ailettes



AT = bride à ailettes et trou



BA = bride à ailettes spéciale

## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,70	16,5	0,190	540	<b>02170GG54*</b>
1,70	16,5	0,210	480	<b>02170LL48*</b>
1,70	17,0	0,180	580	<b>02170EE58*</b>
1,70	17,0	0,210	500	<b>02170LL50*</b>
1,70	17,5	0,150	760	<b>02170W76*</b>
1,70	18,0	0,200	600	<b>02170JJ60*</b>
1,70	18,5	0,170	720	<b>02170CC72*</b>
1,70	19,0	0,200	680	<b>02170JJ68*</b>
1,70	22,5	0,240	840	<b>02170SS84*</b>
1,75	7,5	0,085	250	<b>02175H25*</b>
1,75	8,0	0,090	250	<b>02175J25*</b>
1,75	8,5	0,100	270	<b>02175L27*</b>
1,75	9,0	0,105	390	<b>02175M29*</b>
1,75	9,5	0,105	330	<b>02175M33*</b>
1,75	10,0	0,110	350	<b>02175N35*</b>
1,75	10,5	0,100	330	<b>02175P33*</b>
1,75	11,0	0,120	360	<b>02175P36*</b>
1,75	11,5	0,140	360	<b>02175U36*</b>
1,75	12,0	0,140	390	<b>02175U39*</b>
1,75	12,5	0,140	410	<b>02175U41*</b>
1,80	6,5	0,080	200	<b>02180G20*</b>
1,80	7,0	0,075	260	<b>02180F26*</b>
1,80	7,5	0,070	320	<b>02180E32*</b>
1,80	7,5	0,080	270	<b>02180G27*</b>
1,80	8,0	0,085	270	<b>02180H27*</b>
1,80	8,0	0,095	260	<b>02180K26*</b>
1,80	8,5	0,095	290	<b>02180K29*</b>
1,80	8,5	0,100	240	<b>02180L24*</b>
1,80	9,0	0,090	360	<b>02180J36*</b>
1,80	9,0	0,100	340	<b>02180L34*</b>
1,80	9,0	0,105	290	<b>02180M29*</b>
1,80	9,0	0,105	290	<b>02180M29-GL</b>
1,80	9,5	0,105	320	<b>02180M32*</b>
1,80	9,5	0,120	270	<b>02180P27*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,80	10,0	0,080	340	<b>02180G34*</b>
1,80	10,0	0,110	350	<b>02180N35*</b>
1,80	10,5	0,115	350	<b>02180O35*</b>
1,80	10,5	0,120	330	<b>02180P33*</b>
1,80	11,0	0,110	410	<b>02180N41*</b>
1,80	11,0	0,120	360	<b>02180P36*</b>
1,80	11,0	0,130	350	<b>02180S35*</b>
1,80	11,5	0,140	360	<b>02180U36*</b>
1,80	11,5	0,140	380	<b>02180U38*</b>
1,80	12,0	0,150	360	<b>02180W36*</b>
1,80	12,5	0,130	450	<b>02180S45*</b>
1,80	12,5	0,150	390	<b>02180W39*</b>
1,80	12,5	0,160	360	<b>02180AA36*</b>
1,80	13,0	0,160	400	<b>02180AA40*</b>
1,80	13,5	0,140	480	<b>02180U48*</b>
1,80	13,5	0,160	420	<b>02180AA42*</b>
1,80	14,0	0,170	420	<b>02180CC42*</b>
1,80	14,5	0,170	440	<b>02180CC44*</b>
1,80	15,0	0,150	580	<b>02180W58*</b>
1,80	15,0	0,170	480	<b>02180CC48*</b>
1,80	15,0	0,180	470	<b>02180EE47*</b>
1,80	15,5	0,160	550	<b>02180AA55*</b>
1,80	15,5	0,190	450	<b>02180GG45*</b>
1,80	15,5	0,210	420	<b>02180LL42*</b>
1,80	16,0	0,200	460	<b>02180JJ46*</b>
1,80	16,5	0,200	520	<b>02180JJ52*</b>
1,80	16,5	0,210	480	<b>02180LL48*</b>
1,80	17,0	0,170	680	<b>02180CC68*</b>
1,80	17,0	0,180	600	<b>02180EE60*</b>
1,80	17,0	0,210	500	<b>02180LL50-AT</b>
1,80	17,0	0,210	500	<b>02180LL50*</b>
1,80	17,5	0,200	620	<b>02180JJ62*</b>
1,80	17,5	0,210	520	<b>02180LL52*</b>
1,80	18,0	0,190	620	<b>02180GG62*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



AT = bride à ailettes et trou



BT = bride à ailettes



BA = bride à ailettes spéciale

## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,80	20,5	0,220	780	<b>02180NN78*</b>
1,80	21,5	0,200	840	<b>02180JJ84*</b>
1,85	8,0	0,085	270	<b>02185H27*</b>
1,85	8,5	0,095	290	<b>02185K29*</b>
1,85	9,0	0,105	290	<b>02185M29*</b>
1,85	9,5	0,105	320	<b>02185M32*</b>
1,85	10,0	0,110	350	<b>02185N35*</b>
1,85	10,5	0,115	350	<b>02185O35*</b>
1,85	11,0	0,130	350	<b>02185S35*</b>
1,85	11,5	0,140	360	<b>02185U36*</b>
1,85	16,5	0,210	480	<b>02185LL48*</b>
1,90	7,5	0,065	320	<b>02190D32*</b>
1,90	7,5	0,085	240	<b>02190H24*</b>
1,90	8,0	0,090	260	<b>02190J26*</b>
1,90	9,0	0,090	350	<b>02190J35*</b>
1,90	9,0	0,095	320	<b>02190K32*</b>
1,90	9,0	0,100	340	<b>02190L34*</b>
1,90	9,0	0,105	290	<b>02190M29*</b>
1,90	9,5	0,110	310	<b>02190N31*</b>
1,90	10,0	0,115	320	<b>02190O32*</b>
1,90	10,5	0,110	400	<b>02190N40*</b>
1,90	10,5	0,120	350	<b>02190P35*</b>
1,90	11,0	0,120	380	<b>02190P38-AT</b>
1,90	11,0	0,130	350	<b>02190S35*</b>
1,90	11,5	0,140	380	<b>02190U38*</b>
1,90	12,5	0,150	390	<b>02190W39*</b>
1,90	13,0	0,170	380	<b>02190CC38*</b>
1,90	13,5	0,140	490	<b>02190U49*</b>
1,90	13,5	0,160	420	<b>02190AA42*</b>
1,90	13,5	0,160	450	<b>02190AA45*</b>
1,90	13,5	0,180	380	<b>02190EE38*</b>
1,90	14,0	0,170	420	<b>02190CC42*</b>
1,90	14,0	0,180	420	<b>02190EE42*</b>
1,90	14,0	0,200	440	<b>02190JJ44*</b>

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
1,90	14,5	0,160	490	<b>02190AA49*</b>
1,90	14,5	0,170	450	<b>02190CC45*</b>
1,90	15,0	0,180	460	<b>02190EE46*</b>
1,90	15,5	0,150	580	<b>02190W58*</b>
1,90	15,5	0,190	460	<b>02190GG46*</b>
1,90	16,0	0,200	490	<b>02190JJ49*</b>
1,90	16,5	0,180	580	<b>02190EE58*</b>
1,90	16,0	0,200	490	<b>02190JJ49*</b>
1,90	16,5	0,180	580	<b>02190EE58*</b>
1,90	16,5	0,190	550	<b>02190GG55-BA</b>
1,90	17,0	0,210	500	<b>02190LL50*</b>
1,90	17,5	0,220	520	<b>02190NN52*</b>
1,90	18,0	0,180	700	<b>02190EE70*</b>
1,90	18,0	0,230	540	<b>02190PP54*</b>
1,90	19,0	0,210	660	<b>02190LL66*</b>
1,90	20,5	0,250	720	<b>02190UU72*</b>
1,90	22,0	0,250	800	<b>02190UU80*</b>
1,95	16,5	0,210	480	<b>02195LL48*</b>
2,00	7,0	0,080	220	<b>02200G22*</b>
2,00	7,5	0,085	240	<b>02200H24*</b>
2,00	8,0	0,090	260	<b>02200J26*</b>
2,00	9,0	0,100	320	<b>02200L32*</b>
2,00	9,0	0,105	290	<b>02200M29*</b>
2,00	9,5	0,110	310	<b>02200N31*</b>
2,00	10,0	0,065	480	<b>02200D48*</b>
2,00	10,0	0,115	320	<b>00200O32*</b>
2,00	11,0	0,130	350	<b>02200S35*</b>
2,00	11,0	0,140	330	<b>02200U33*</b>
2,00	11,5	0,140	360	<b>02200U36*</b>
2,00	12,0	0,150	380	<b>00200W38*</b>
2,00	12,5	0,140	440	<b>02200U44*</b>
2,00	12,5	0,150	400	<b>02200W40*</b>
2,00	13,0	0,160	400	<b>02200AA40*</b>
2,00	13,5	0,160	420	<b>02200AA42*</b>

# Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



BT = bride à ailettes



AT = bride à ailettes et trou



BA = bride à ailettes spéciale




## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,00	14,5	0,160	500	02200AA50*
2,00	14,5	0,160	500	02200AA50BA
2,00	14,5	0,170	450	02200CC45*
2,00	15,0	0,180	420	02200EE42-BA
2,00	15,0	0,180	460	02200EE46*
2,00	15,0	0,180	460	02200EE46-BA
2,00	16,0	0,190	500	02200GG50-AT
2,00	16,5	0,200	500	02200JJ50-AT
2,00	17,0	0,190	570	02200GG57-TR
2,00	17,0	0,210	500	02200LL50*
2,00	17,5	0,180	720	02200EE72*
2,00	17,5	0,180	720	02200EE72-TR
2,00	17,5	0,220	520	02200NN52*
2,00	18,0	0,190	680	02200GG68*
2,00	18,0	0,220	560	02200NN56*
2,00	18,5	0,190	600	02200GG60*
2,00	18,5	0,230	560	02200PP56*
2,00	20,0	0,240	680	02200SS68*
2,00	21,0	0,190	820	02200GG82*
2,10	9,0	0,095	330	02210K33*
2,10	9,0	0,105	300	02210M30*
2,10	9,0	0,120	270	02210P27*
2,10	9,5	0,110	310	02210N31*
2,10	10,0	0,095	400	02210K40*
2,10	10,0	0,115	320	02210O32*
2,10	11,0	0,120	400	02210P40*
2,10	11,5	0,140	360	02210U36*
2,10	12,5	0,150	400	02210W40*
2,10	13,5	0,130	520	02210S52*
2,10	13,5	0,160	420	02210AA42*
2,10	14,0	0,170	400	02210CC40*
2,10	14,5	0,170	450	02210CC45*
2,10	15,0	0,150	500	02210W50-TR
2,10	15,0	0,170	440	02210CC44-AT

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,10	15,0	0,180	450	02210EE45*
2,10	15,5	0,190	450	02210GG45*
2,10	15,5	0,210	450	02210LL45*
2,10	16,0	0,170	600	02210CC60*
2,10	16,0	0,180	500	02210EE50*
2,10	16,0	0,200	460	02210JJ46*
2,10	16,5	0,190	520	02210GG52*
2,10	16,5	0,190	560	02210GG56*
2,10	16,5	0,210	480	02210LL48*
2,10	17,0	0,200	600	02210JJ56*
2,10	17,0	0,210	500	02210LL50*
2,10	17,5	0,170	680	02210CC68-TR
2,10	17,5	0,220	520	02210NN52*
2,10	18,5	0,220	580	02210NN58*
2,20	10,0	0,105	370	02220M37*
2,20	11,0	0,120	360	02220P36*
2,20	13,0	0,150	420	02220W42*
2,20	14,0	0,170	420	02220CC42*
2,20	14,0	0,170	460	02220EE46*
2,20	14,0	0,180	400	02220EE40*
2,20	14,5	0,160	470	02220AA47*
2,20	14,5	0,200	400	02220JJ40*
2,20	15,5	0,180	500	02220EE50*
2,20	15,5	0,190	460	02220GG46*
2,20	16,0	0,180	550	02220EE55*
2,20	16,0	0,180	550	02220EE55-AT
2,20	16,0	0,190	500	02220GG50*
2,20	16,0	0,200	480	02220JJ48*
2,20	16,5	0,170	580	02220CC58-A
2,20	16,5	0,190	550	02220GG55*
2,20	16,5	0,200	500	02220JJ50-AT
2,20	17,0	0,210	500	02220LL50*
2,20	17,5	0,180	700	02220EE70*
2,20	17,5	0,220	520	02220NN52*

# Ressorts de montres

En sachet de 2 ou 3 pièces.



## No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,20	18,0	0,220	560	02220NN56*
2,20	20,0	0,210	780	02220LL78*
2,25	15,0	0,180	460	02225EE46*
2,25	16,5	0,210	480	02225LL48*
2,30	11,0	0,120	400	02230P40*
2,30	13,0	0,160	390	02230AA39*
2,30	13,0	0,160	400	02230AA40*
2,30	13,5	0,160	420	02230AA42*
2,30	14,0	0,170	430	02230CC43*
2,30	14,5	0,160	480	02230AA48*
2,30	15,0	0,160	390	02230AA39-BA
2,30	15,0	0,160	490	02230AA49-BA
2,30	15,0	0,180	460	02230EE46*
2,30	15,5	0,190	460	02230GG46*
2,30	15,5	0,210	440	02230LL44*
2,30	16,0	0,190	540	02230GG54*
2,30	16,0	0,200	470	02230JJ47*
2,30	16,5	0,210	480	02230LL48*
2,30	17,0	0,210	500	02230LL50*
2,30	17,50	0,220	540	02230NN54*
2,30	18,0	0,160	700	02230AA70*
2,30	18,0	0,190	680	02230GG68*
2,30	20,0	0,210	780	02230LL78*
2,30	20,0	0,220	780	02230NN78*
2,30	21,0	0,240	740	02230SS74*
2,40	14,0	0,170	430	02240CC43*
2,40	14,5	0,170	450	02240CC45*
2,40	15,0	0,170	460	02240CC46*
2,40	15,0	0,180	460	02240EE46*
2,40	15,5	0,190	460	02240GG46*
2,40	15,5	0,200	460	02240JJ46*
2,40	15,5	0,210	440	02240LL44*
2,40	15,5	0,230	420	02240PP42*
2,40	16,0	0,180	500	02240EE50*

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,40	16,0	0,180	500	02240EE50-AT
2,40	16,0	0,190	500	02240GG50*
2,40	16,5	0,180	520	02240EE52-BA
2,40	16,5	0,210	480	02240LL48*
2,40	17,0	0,210	500	02240LL50*
2,40	19,0	0,210	700	02240LL70*
2,40	22,5	0,240	820	02240SS82*
2,45	16,5	0,210	480	02245LL48*
2,50	11,5	0,130	380	02250S38*
2,50	12,0	0,140	300	02250U30*
2,50	15,0	0,180	460	02250EE46*
2,50	15,0	0,180	520	02250EE52*
2,50	15,5	0,190	460	02250GG46*
2,50	16,0	0,200	480	02250JJ48*
2,50	16,0	0,200	480	02250JJ48-BA
2,50	16,5	0,210	480	02250LL48*
2,50	17,0	0,210	500	02250LL50*
2,50	17,0	0,200	530	02250JJ53*
2,50	17,5	0,220	520	02250NN52*
2,50	18,0	0,200	570	02250JJ57*
2,50	20,5	0,210	800	02250LL80*
2,50	20,5	0,220	780	02250NN78-TR
2,50	22,0	0,230	780	02250PP78*
2,60	14,5	0,190	400	02260GG40*
2,60	15,0	0,180	460	02260EE46*
2,60	15,5	0,190	460	02260GG46*
2,60	16,0	0,200	460	02260JJ46*
2,60	16,0	0,200	470	02260JJ47*
2,60	16,5	0,190	520	02260GG52-BA
2,60	16,5	0,190	540	02260GG54-BA
2,60	16,5	0,200	500	02260JJ50*
2,60	16,5	0,210	480	02260LL48*
2,60	17,0	0,210	500	02260LL50*
2,60	17,5	0,190	580	02260GG58*

## Ressorts de montres

En sachet de 2 ou 3 pièces.



\* = bride normale



GL = bride glissante pour calibre automatique



TR = bride à trou



BT = bride à ailettes



AT = bride à ailettes et trou



BA = bride à ailettes spéciale

### No ombrés, sachet de 1 pièce

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,60	17,5	0,200	540	02260JJ54-AT
2,60	17,5	0,220	520	02260NN52*
2,60	21,0	0,210	800	02260LL80-TR
2,70	15,0	0,180	460	02270EE46*
2,70	15,5	0,190	460	02270GG46*
2,70	16,0	0,200	480	02270JJ48*
2,70	16,5	0,180	580	02270EE58*
2,70	16,5	0,210	480	02270LL48*
2,70	17,0	0,210	500	02270LL50*
2,70	17,5	0,200	620	02270JJ62*
2,70	17,5	0,220	520	02270NN52*
2,80	15,0	0,180	460	02280EE46*
2,80	16,0	0,160	580	02280AA58*
2,80	16,0	0,190	500	02280GG50*
2,80	16,5	0,160	620	02280AA62-T
2,80	16,5	0,210	480	02280LL48*
2,80	17,0	0,180	560	02280EE56-TR
2,80	17,0	0,190	530	02280GG53-AT
2,80	17,0	0,190	560	02280GG56*
2,80	17,0	0,190	580	02280GG58-AT
2,80	17,0	0,200	520	02280JJ52-BT
2,80	17,5	0,190	620	02280GG62*
2,80	17,5	0,190	620	02280GG62-TR

hauteur mm	Ø mm*	épaisseur mm	longueur mm	Référence
2,80	18,0	0,240	500	02280SS50*
2,80	20,0	0,250	650	02280UU65*
2,90	16,0	0,180	500	02290EE50*
2,90	16,0	0,200	480	02290JJ48*
2,90	17,0	0,210	500	02290LL50*
2,90	17,0	0,210	500	02290LL50-AT
2,90	17,5	0,200	480	02290JJ58-AT
2,90	18,0	0,150	740	02290W74-BA
2,90	20,0	0,190	780	02290GG78*
2,90	21,0	0,210	800	02290LL80*
2,90	23,0	0,230	950	02290PP95-TR
3,00	16,0	0,160	600	02300AA60-BA
3,00	17,5	0,200	600	02300JJ60*
3,00	18,0	0,200	580	02300JJ58*
3,00	20,0	0,130	1350	02300S135*
3,10	17,0	0,270	470	02310SS47*
3,10	21,0	0,220	870	02310NN87*
3,10	23,0	0,240	820	02310SS82*
3,20	16,5	0,180	620	02320EE62*
3,40	18,0	0,200	580	02340JJ58-AT
3,40	18,0	0,200	580	02340JJ58*

**Autres accessoires : voir notre catalogue "Selva Horlogerie"**